

KÖSTER Loka Handpump

Technical guideline / Article number **12.074**
Issued: October 20, 2009

Manually operated pump for pumping and injecting grouts

Features

The KÖSTER Loka Handpump is a reliable manually driven membrane pump which is suited for pumping and injecting KÖSTER grout mortars. This hand membrane pump is equipped with a surge tank and a removable lid, in which the manometer for pressure measurement is integrated. A sufficiently large dimensioned base plate ensures a good stability during pumping. The length of the hand lever was chosen so that working without tiring is possible. A pressure compensation of the discharge hose or pumping the material in a circle can be achieved via a ball valve on the y-output piece of the pump. Onto the discharge hose, any pistol or packer pliers can be mounted.

Scope of delivery

- 2 m suction hose with dirt sieve
- 2 m circulation hose
- 4 m discharge hose

Field of application

Pumping and injecting of:

- KÖSTER Micro Grout
- KÖSTER Micro Grout 2C
- KÖSTER Mautrol Borehole Suspension



Technical data

Capacity:	max. 12 l/min at max. 10 bar
Measurements:	approx. 500 mm x 200 mm x 1100 mm
Weight:	approx. 14 kg

The information contained in this technical data sheet is based on the results of our research and on our practical experience in the field. All given test data are average values which have been obtained under defined conditions. The proper and thereby effective and successful application of our products is not subject to our control. The installer is responsible for the correct application under consideration of the specific conditions of the construction site and for the final results of the construction process. This may require adjustments to the recommendations given here for standard cases. Specifications made by our employees or representatives which exceed the specifications contained in this technical guideline require written confirmation. The valid standards for testing and installation, technical guidelines, and acknowledged rules of technology have to be adhered to at all times. The warranty can and is therefore only applied to the quality of our products within the scope of our terms and conditions, not however, for their effective and successful application. This guideline has been technically revised; all previous versions are invalid.